

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** LUXULA

**Supplier's address:** ENOVATEK GmbH, Sillensteder Straße 213, 26441 Jever, DE

**Model identifier:** LX400220

## Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)	SMD 2835		
Mains or non-mains:	MLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No

## Product parameters

Parameter	Value	Parameter	Value
<b>General product parameters:</b>			
Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	10	Energy efficiency class	F
Useful luminous flux ( $\phi_{use}$ ), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	1 000 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000
On-mode power ( $P_{on}$ ), expressed in W	10,0	Standby power ( $P_{sb}$ ), expressed in W and rounded to the second decimal	0,50
Networked standby power ( $P_{net}$ ) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80
Outer dimensions without separate control gear, lighting control	Height	98	Spectral power distribution in the range 250 nm to 800 nm, at full-load
	Width	154	
	Depth	55	
			See image in last page

parts and non-lighting control parts, if any (millimetre)			
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,380 0,380
<b>Parameters for LED and OLED light sources:</b>			
R9 colour rendering index value	80	Survival factor	-
the lumen maintenance factor	-		
<b>Parameters for LED and OLED mains light sources:</b>			
displacement factor (cos $\phi_1$ )	0,90	Colour consistency in McAdam ellipses	6
Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage.	-(b)	If yes then replacement claim (W)	-
Flicker metric (Pst LM)	1,0	Stroboscopic effect metric (SVM)	0,9

(a)-: not applicable;

(b)-: not applicable;

# Lightsource Test Report


## Product Information

Product Category: LED FLOOD LIGHT  
Product Spec: 3000K

Product Type: LX400220  
Product Number: 1

## CIE Colorimetric Parameters

Chromaticity coordinates:  $x=0.4388$   $y=0.4023$   $u(u')=0.2525$   $v=0.3473$   $v'=0.5210$   
CCT:  $T_c=2955K$  ( $duv=-0.00094$ ) Color Ratio:  $R=0.216$   $G=0.768$   $B=0.015$   
Peak Wavelength: 593.2nm Half Bandwidth: 114.5nm  
Dominant Wavelength: 583.3nm Color Purity: 0.525  
CRI:  $R_a=71.6$  TM30:  $R_f=69$ ,  $R_g=96$   
 $R_1=68$   $R_2=81$   $R_3=92$   $R_4=69$   $R_5=68$   $R_6=74$   $R_7=77$   $R_8=44$   
 $R_9=-31$   $R_{10}=56$   $R_{11}=64$   $R_{12}=49$   $R_{13}=70$   $R_{14}=95$   $R_{15}=61$   
Color Quality Scale:  $Q_a=71.4$ ,  $Q_f=71.9$ ,  $Q_p=74.9$ ,  $Q_g=90.3$   
 $Q_1=67$   $Q_2=96$   $Q_3=70$   $Q_4=66$   $Q_5=70$   $Q_6=69$   $Q_7=69$   $Q_8=77$   
 $Q_9=95$   $Q_{10}=80$   $Q_{11}=75$   $Q_{12}=72$   $Q_{13}=73$   $Q_{14}=59$   $Q_{15}=62$



## Photometric Parameters

Luminous Flux: 811.31 lm  
EEI: 0.16

Efficiency: 80.33 lm/W

Radiant Power: 2.331 W

Energy Efficiency Class: A+ (EU 874-2012)

## Electric Parameters

Voltage: 231.80V  
Power Factor: 0.9130

Current: 0.0480A  
Frequency: 50.00Hz

Power: 10.10W

### Test Information


Scan Range: 380~800:1nm  
Stabilization Time: 0 ms  
Max of Signal: 12488 (37366)

Photometric Method: sphere-spectroradiometer  
Photometric Condition: Sphere diameter: 1.00m, 4π  
CCD Integration Time: 275.34 ms

Condition:  $T_x:0.0^{\circ}C$ ,  $T_i:0.0^{\circ}C$ , R.H.:60%  
Test Lab:  
Operator:

Test Device: Inventfine CMS-2S (Plus)  
Test Time:  
Inspector:

Model placed on the Union market from 01/03/2024



**EPREL registration number:** 1855278

<https://eprel.ec.europa.eu/qr/1855278>

**Supplier:** ENOVATEK GmbH (Importer)

**Website:** [www.enovatek.de](http://www.enovatek.de)

**Customer care service:**

**Name:** ENOVATEK GmbH

**Website:** [www.enovatek.de](http://www.enovatek.de)

**Email:** [info@enovatek.de](mailto:info@enovatek.de)

**Phone:** +49 4461 / 7464233

**Address:**

Sillensteder Straße 213

26441 Jever

Germany